



Prostal Limited.

1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan

TEL: +886-3-4828372 Fax: +886-3-4828377

URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw


Vat number: 24849130

MPO stackable adaptor

Prostal's MPO stackable adaptor designed for advanced fiber optics networking systems required in limit spaces. We named it LC stackable adaptors as well. Two types are available: one is angled type 45 degree, the other is straight type.

Product type

Angled type, 45 degree



Straight type



Features:

- ❖ IEC 61754-7 and TIA/EIA 604-5 standards for MPO/MTP interfaces
- ❖ Stacked together with multiple rows and columns into a very dense assembly
- ❖ Internal shutter without manual actuation is optional for eye safety
- ❖ Keyway available for either up or down
- ❖ Standard colors: Black, Aqua, Beige, Violet.
- ❖ Interlock with all adjacent adaptor
- ❖ Complies with GR-326-CORE and RoHS.

Performance specifications:

Sleeve material:	Ceramic
Typical Insertion Loss:	0.1dB
Maximum Insertion Loss:	0.3dB
Operating temperature:	-40~75°C
Storage Temperature:	-55~85°C



Prostal Limited.

1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan




TEL: +886-3-4828372 Fax: +886-3-4828377

URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw


Vat number: 24849130

Structures:

Straight Type



MPO STACKABLE ADAPTER, STRAIGHT TYPE, M x N





Prostal Limited.


1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan

TEL: +886-3-4828372 Fax: +886-3-4828377

URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw

Vat number: 24849130

Angled type (45 degree)





Prostal Limited.

1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan

TEL: +886-3-4828372 Fax: +886-3-4828377

URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw

Vat number: 24849130

Ordering Information

HDMPA - - - -

Types:
A = Angled type
S = Straight type

Number of row:
1 = 1 row
2 = 2 rows
3 = 3 rows
4 = 4 rows

Number of port:
04 = 4 ports
06 = 6 ports
08 = 8 ports
14 = 14 ports
18 = 18 ports

Color:
H = Black
V = Violet
A = Aqua
B = Beige
O = Others