



Prostal Limited.

1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan

TEL: +886-3-4828372 Fax: +886-3-4828377

URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw

Vat number: 24849130

Prostal Supply various Standard Fiber Optics Adaptors.

Main Features

- Excellent Insertion Loss
- Low back reflection Loss
- Environmentally Stable
- Easy to use

Applications

- FTTx
- CATV
- Fiber optics equipment
- Local area network
- Telecommunications
- Test instruments



Performance Information

Material of Sleeve	Bronze	Ceramic (Zro2)
Insertion Loss (Typical)	0.3dB	0.1dB
Insertion Loss (Max.)	0.5dB	0.3dB
Durability (500 matings) (Max.)	0.6dB	0.2dB
Operating temperature	-40°C ~ +75°C	
Storage Temperature	-55°C ~ +85°C	



Prostal Limited.


1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan

TEL: +886-3-4828372 Fax: +886-3-4828377

URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw

Vat number: 24849130

Ordering Information



Connector type:
FC = FC type
SD = SC Standard flange
SS = SC short flange
FC = FC/PC
FD = FC D type
MD = FC D type Miniature
Double
ST = ST type
SU = SC duplex
S1 = SC duplex short flange
TU = ST duplex
LC = LC simplex
LD = LC duplex
LS = LC duplex SC footprint
MU = MU simplex
MP = MP duplex
MR = MTRJ type
XX = Others, please specify

Material of Sleeve
B = Bronze sleeve
C = Ceramic sleeve
N = MTRJ / MPO

Connector type:
FC = FC type
SD = SC Standard flange
SS = SC short flange
FC = FC/PC
FD = FC D type
MD = FC D type Miniature
Double
ST = ST type
SU = SC duplex
S1 = SC duplex short flange
TU = ST duplex
LC = LC simplex
LD = LC duplex
LS = LC duplex SC footprint
MU = MU simplex
MP = MP duplex
MR = MTRJ type
XX = Others, please specify

Color / Mode type
B = Blue, for SM PC
G = Green, for SM APC
U = Beige, for Multimode
XX = Others



Prostal Limited.

1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan


TEL: +886-3-4828372 Fax: +886-3-4828377

URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw


Vat number: 24849130

Drawings


Unit: mm



PLAD-LS-□-LS (SC foot-print)



PLAD-MR-□-MR



PLAD-LD-□-LD



Prostal Limited.

1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan


TEL: +886-3-4828372 Fax: +886-3-4828377

URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw



Vat number: 24849130

Drawings



Unit: mm




PLAD-SU-□ - TU



PLAD-TU-□ - TU



PLAD-S1-□ - S1





Prostal Limited.

1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan


TEL: +886-3-4828372 Fax: +886-3-4828377

URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw



Vat number: 24849130

Drawings




Unit: mm





PLAD-SU-□-SU



PLAD-MD-□-MD



PLAD-ST-□-ST





Prostal Limited.

1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan




TEL: +886-3-4828372 Fax: +886-3-4828377

URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw




Vat number: 24849130

Drawings




Unit: mm



PLAD-SS-□-SS



PLAD-SD-□-SD



PLAD-FD-□-FD

