

Prostal

Model PSP-005DC10-RJ45/4

Network Surge Protector

Product Datasheet




www.prostal.com.tw

PSP-005DC10-RJ45/4 is 100Mbps Network Surge Protector. It protects IP cameras, network switches, servers, modem, network terminals and other network communication equipment in surveillance systems.

Features

- ◆ Compact size with an aluminum alloy casing, anti-static
- ◆ Suitable for protecting 100Mbps network signals
- ◆ High discharge capacity, low residual voltage and minimal insertion loss
- ◆ Built-in self-restoring discharge element for long service life

Dimension



Unit : mm

Note: Dimension error value ± 1 mm


Technical Parameter

Category	Description
Working Voltage Un (V)	6/12
Limiting Voltage Up (V)	20
Normal Discharge Current In (kA)	5
Maximum Discharge Current Imax (kA)	10
Response Time (ns)	1
Insert Loss (dB)	≤0.2
Transmission Rate (bit/s)	100M
Terminal Type	RJ45
Net Weight (g)	85
Working Temperature	-40°C ~ +80°C
Working Humidity	< 95% Non-condensation

Installation Diagram



Installation Instructions

	NO	Step
	1	Connect Cat5/6 cable to IN (1)
	2	Connect the protected device of computer and network switches to OUT (2)
	3	Connect ground lead (3) to the grounding device