


Vat number: 24849130

1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan TEL: +886-3-4828372 Fax: +886-3-4828377 URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw

High Density LC adaptors

Prostal's high density LC adaptors designed for advanced fiber optics networking systems required in limit spaces. We named it LC stackable adaptors as well. Two types are available: one is angled type, the other is straight type.

Product type



Features:

- \diamond Ultra flexible: can stack both multiple rows and colums, fully comply with your need.
- ♦ High density: 1U 19" chassis can accommodate 180 ports LC as maximum
- ♦ Diversity: Many colors are available, include: blue, green, black, aqua, beige, and magenta.
- \diamond High reliability: the assembly is done in factory, 100% tests before shipment.
- ♦ Complies with GR-326-CORE and RoHS.

Performance specifications:


| Sleeve material: | Ceramic |
|-------------------------|----------|
| Typical Insertion Loss: | 0.1dB |
| Maximum Insertion Loss: | 0.3dB |
| Operating temperature: | -40~75℃ |
| Storage Temperature: | -55~85°C |




Vat number: 24849130

1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan TEL: +886-3-4828372 Fax: +886-3-4828377 URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw

Structures:








Vat number: 24849130

1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan TEL: +886-3-4828372 Fax: +886-3-4828377 URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw

Angled type (45 degree)





Vat number: 24849130

1F., No.40, Aly. 22, Ln. 143, Ruiping Rd., Yangmei Disty, Taoyuan City 32658, Taiwan TEL: +886-3-4828372 Fax: +886-3-4828377 URL: www.prostal.com.tw E-MAIL: joan@prostal.com.tw

Ordering Information

